





jobid: 3655016	uid: 69628	nprocs: 48	runtime: 7 seconds
----------------	------------	------------	--------------------



Most Common Access Sizes




	access size	count
POSIX	131072	10752
	128928	1152
	2144	1152
	512	240
MPI-IO ‡	1048576	1536
	512	288
	176	45
	87	45

File Count Summary

(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	1	769M	769M
read-only files	0	0	0
write-only files	0	0	0
read/write files	1	769M	769M
created files	1	769M	769M

‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.




Average I/O per process (POSIX)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0	N/A
Shared reads	0.1454888125	16.0040283203125
Shared writes	0.21577925	16.0000457763672
Shared metadata	0.898715395833333	N/A

Data Transfer Per Filesystem (POSIX)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/global/u2	768.00220	1.00000	768.19336	1.00000



*sequential*: An I/O op issued at an offset greater than where the previous I/O op ended.  
*consecutive*: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX)

File Suffix	Processes	Fastest			Slowest			$\sigma$	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...der/testFile	48	22	0.329774	4.2K	26	3.975903	110M	1.17	5.23e+07